

FRIGIDAIRE GALLERY®

FGHG2368TF

FRENCH DOOR REFRIGERATOR

22.4 CU. FT. COUNTER-DEPTH

Smudge-Proof™
Stainless Steel



AVAILABLE
COLORS



Stainless

PRODUCT DIMENSIONS

| | |
|-------------------------------------|---------|
| Height (Including Hinges & Rollers) | 69-7/8" |
| Width (Doors) | 36" |
| Depth (Including Door) | 28-1/2" |

MORE EASY-TO-USE FEATURES

PureAir Ultra® II Filters

Our PureAir Ultra® II air filters effortlessly keep the air in your refrigerator fresh.

Even Temp™

Even temperature throughout the refrigerator.

Adjustable Interior Storage

Over 100 ways to organize and customize your refrigerator.

Store-More™ Flip-Up Shelves

Easily make room for tall or large items.

Multi-Level LED Lighting

Corner-to-corner LED lighting throughout the refrigerator for better visibility.

Store-More™ Shelves

More space to store your food with edge-to-edge shelves.

Full-Width Cool-Zone™ Drawer

A large capacity Cool Zone™ drawer extends completely and provides space to easily store anything from sheet cakes and large platters to snacks and juice boxes.

Express-Select® Controls

Easily select options with the touch of a button.

Freezer Basket with Divider

Deep freezer storage with adjustable divider keeps food organized and accessible.

Effortless™ Glide Freezer Drawers

Drawers glide out smoothly and fully extend, giving you easy access to what's inside.

Quick Freeze

Quickly freeze foods so they stay at their freshest.

CERTIFICATIONS

ENERGY STAR®



Star-K® Certified (Sabbath Mode)

SIGNATURE FEATURES



Crisp Seal™

Sealed humidity-controlled crispers maintain moisture for market-fresh produce.



Counter-Depth Design

Maximize your kitchen space with our counter-depth design that gives you over 4 inches of kitchen floor space back while still offering over 100 ways to organize.



Effortless™ Glide Crisper Drawers

Our humidity-controlled crisper drawers can be configured any number of ways, either side-by-side or stacked on top of each other so you can organize your refrigerator the way you want.



PureSource Ultra® II Ice & Water Filtration

Discover how our genuine filtration works to keep your water cleaner. PureSource Ultra® II Water Filters remove 99.3% of lead and 99.9% of cysts from your household water.

FGHG2368TF FRENCH DOOR REFRIGERATOR

22.4 CU. FT. COUNTER-DEPTH

FRIGIDAIRE
GALLERY

FEATURES

| | |
|-------------------------|------------------------------|
| Door Design | Tall Soft-Arc |
| Door Handle Design | Stainless Steel |
| Cabinet Finish | Grey |
| Door Stops/Door Closers | Yes/Yes |
| Door Hinge Covers | Hidden |
| Rollers - Front/Rear | Adjustable/Yes |
| Water Filter Location | Top-Right Fresh Food Section |
| Sound Package | |

CONTROL FEATURES

| | |
|-------------------------------------|------------------------|
| Controls | Express-Select® |
| Control Panel Location | Left Door, Inside Edge |
| Number of Control Buttons | 11 |
| Ice Option/Freeze Option | Quick Ice/Quick Freeze |
| Display On/Off Option | |
| Lock | |
| Temp/Door Ajar/Power Failure Alerts | Yes/Yes/Yes |
| Water Filter Change Indicator Light | Yes |
| Air Filter Change Indicator Light | Yes |

REFRIGERATOR FEATURES

| | |
|-------------------------------------|--------------------------|
| Lighting | Multi-Level Designer LED |
| Water Filter Type | PureSource Ultra® II |
| Air Filter Type | PureAir Ultra® II |
| Quarter-Width Fixed Shelves | |
| Half-Width Fixed Shelves | 4 Store-More™ |
| Quarter-Width Sliding Shelves | |
| Half-Width Sliding Shelves | |
| Cantilever Shelves | Yes |
| Store-More™ Full-Width Drawer | 1 Cool Zone™ |
| Hanging Wine Rack | |
| Hanging Can Dispenser | |
| Crisper Drawer/Humidity Controls | 2 Clear/2 |
| Dairy Compartment | |
| Store-More™ Fixed Door Bins | 2 Clear |
| 2-Liter Fixed Door Bins | |
| Gallon Adjustable Door Bins | 4 Clear |
| 2-Liter Adjustable Door Bins | 2 Clear |
| Dispenser Bin | |
| Non-Slip Bin Liner/Bottle Retainers | Yes/No |

FREEZER FEATURES

| | |
|------------------------------------|---------------------|
| Self-Closing Pull-Out Drawer | Yes |
| Sliding Full-Width Freezer Baskets | 2 Effortless™ Glide |
| Basket Dividers | 1 (Bottom Basket) |
| Lighting | LED |
| Ice Maker | Yes |

CERTIFICATIONS

| | |
|----------------------------------|-----|
| ENERGY STAR® | Yes |
| Star-K® Certified (Sabbath Mode) | Yes |

SPECIFICATIONS

| | |
|---|-------------------|
| Total Capacity (Cu. Ft.) | 22.4 |
| Refrigerator Capacity (Cu. Ft.) | 15.6 |
| Freezer Capacity (Cu. Ft.) | 6.8 |
| Power Cord Connection Location | Right Bottom Rear |
| Water Inlet Connection Location | Left Bottom Rear |
| Voltage Rating | 120V/60Hz |
| Connected Load (kW rating) @ 120 Volts ¹ | 1.02 |
| Amps @ 120 Volts | 8.5 |
| Minimum Circuit Required (Amps) | 15 |
| Shipping Weight (Approx.) | 347 Lbs. |


¹For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.

PRODUCT DIMENSIONS

| | |
|---|---------------|
| A - Height (Including Hinges & Rollers) | 69-7/8" |
| B - Cabinet Width / Door Width | 35-7/8" / 36" |
| C - Depth (Including Door) | 28-1/2" |
| Depth with Door Open 90° | 42-1/2" |
| Depth with Drawer Fully Extended (Including Handle) | 45-1/2" |

"BUILT-IN LOOK" CUTOUT DIMENSIONS

| | |
|---------------------------------------|---------|
| Height (Including Hinges and Rollers) | 70-1/4" |
| Width | 36" |
| Depth | 25" |



Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca. Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE


USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FGHG2368T 08/17
© 2017 Electrolux Home Products, Inc.

FGHG2368TF FRENCH DOOR REFRIGERATOR

22.4 CU. FT. COUNTER-DEPTH

FRIGIDAIRE
GALLERY



INSTALLATION SPECIFICATIONS

- Product Shipping Weight (approx.) - 347 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.
- Voltage Rating - 120V/60 Hz
- Connected Load (kW Rating)@120 Volts = 1.02 kW
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer/crisper access and removal. (*Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer/crisper access with restricted removal.*)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.

- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure - Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

"BUILT-IN LOOK" SPECIFICATIONS

- Minimum opening of 70-1/4"H x 36"W x 25"D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.



FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca. Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FGHG2368T 08/17
© 2017 Electrolux Home Products, Inc.