

Integrated Column Refrigerator, 24"

Series 9 | Integrated

Panel Ready | Right Hinge




Install it separately or pair with another Column for seamless kitchen integration - this model is right hinge with white interior.

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	84"
Width	23 3/4"
Depth	24"



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or Customize to match your own kitchen cabinetry.

Clever energy

Our Energy Star-certified ActiveSmart™ Refrigerators & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect fit

These models fit flush and have only 1/8" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories

24" Stainless steel toe kick	AKRS2404
42" Stainless steel toe kick	AKRS4204
48" Stainless steel toe kick	AKRS4804
54" Stainless steel toe kick	AKRS5404
60" Stainless steel toe kick	AKRS6004

66" Stainless steel toe kick	AKRS6604	Fruit and vegetable bins	4	Parts and labor	2 years
72" Stainless steel toe kick	AKRS7204	Gallon door shelves	1	Sealed system parts and labor	additional 3 years
78" Stainless steel toe kick	AKRS7804	LED bin lighting	•	<hr/>	
84" Stainless steel toe kick	AKRS8404	LED ceiling lighting	•		
Contemporary round handle	AHS-RD84	LED side lighting	•	SKU	26122
Contemporary square handle	AHD3-RD84	SmartTouch interface at	•	<hr/>	
Hinge change (from left hinge	848188	Soft-close fruit and vegetable	•		
Hinge change (from right hinge	848187	Stackable bottle holders	4		
Joiner kit	AJ-RS84LR	<hr/>			
Professional round flush handle	AHP3RDSF	Performance			
Professional round handle kit	AHC-RD84	ActiveSmart™ technology	•		
Professional square handle kit	AHV2-RD84	Dual evaporator	•		
Square fine aluminium handle	AHD5RDSF	Frost free	•		
Square fine black handle kit	AHD5RDSFB	Humidity control system	•		
Stainless steel door panel	24" Right hinge RD2484R4D	Inverter controlled compressor	•		
<hr/>		Sabbath mode	•		
Capacity		Variable food modes	Pantry; Fridge; Chill		
Volume	12.4cu ft	Variable temperature zones	2		
Volume refrigerator	12.4cu ft	<hr/>			
Consumption		Power requirements			
Energy rating	Energy star	Rated current	10A		
Energy usage	232kWh/year	Supply frequency	60Hz		
<hr/>		Supply voltage	115V		
Features		Product dimensions			
Adjustable door shelves	4	Depth	24"		
Adjustable glass cantilevered	•	Height	84"		
Adjustable glass shelves	4	Width	23 3/4"		
Covered door shelves	1	<hr/>			
Door alarm	•	Warranty			

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) User Guide
- [↓](#) User Guide
- [↓](#) Energy Label
- [↓](#) Installation Guide
- [↓](#) Installation Guide
- [↓](#) Installation Guide
- [↓](#) Install Guide - Water Filter Replacement
- [↓](#) Specification Guide Integrated Column Refrigerator
- [↓](#) Data Sheet Integrated Column Refrigerator
- [↓](#) Data Sheet Integrated Column Refrigerator Dual Install (18" + 24")
- [↓](#) Data Sheet Integrated Column Refrigerator Dual Install (24" + 24")
- [↓](#) Data Sheet Integrated Column Refrigerator Dual Install (24" + 30")
- [↓](#) Planning Guide Integrated Columns
- [↓](#) Key Purchase Decisions Integrated Columns



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W** www.fisherpaykel.com