

PureLine Brilliant White  
Warming Drawer

ESW 6880 BRWS

# PureLine Warming Drawer ESW 6880 BRWS




## **ESW 6880 BRWS**

### **Features:**



- Touch controls
- Fan-assisted heating system
- Time control, 4-hour timer
- Temperature settings from 104°F to 185°F
- Keeps food or plates and cups warm
- Non-slip liner
- Cool touch front
- Soft Open
- Auto Close
- Warm dishware for up to 12 people
- Sabbath Program
- Movable half rack insert allows food and dishware to be stored and warmed on two levels
- The simple yet sleek Silhouette Chrome handle seems to float enhancing its modern design lines.

**Comfort Handle:**  
Optional with ContourLine  
(DS 6708 Item #09828380)

**ComfortSwivel Handle:**  
Standard with ContourLine  
Optional for PureLine  
(DS 6718 Item # 09828390)



**Silhouette Handle:**  
Standard with Pureline  
Optional for Contourline  
(DS 6808 Item # 09828400)



**Silhouette Handle (Chrome):**  
Standard with BrilliantWhite  
(DS 6808 Item # 09828410)



**Silhouette Handle:**  
Standard with Truffle Brown  
(DS 6808 Item # 09870690)

# PureLine Warming Drawer

## ESW 6880 BRWS




SPECIFICATIONS	
<b>ESW 6880 BRWS - Item # 30688012USA</b>	
Overall Unit Width - Excluding Fascia Dimension	25 <sup>15</sup> / <sub>16</sub> " (659mm)
Overall Height - Excluding Fascia Dimension	10 <sup>9</sup> / <sub>16</sub> " (268mm)
Overall Depth - Excluding Fascia Dimension	23 <sup>7</sup> / <sub>8</sub> " (606mm)
Overall Fascia Dimensions	29 <sup>13</sup> / <sub>16</sub> " (757mm) W x 10 <sup>13</sup> / <sub>16</sub> " (275mm) H x 1" (262mm) D
<b>Built-In</b>	
Minimum Cabinet Width	26 <sup>5</sup> / <sub>16</sub> " — 28 <sup>1</sup> / <sub>2</sub> " (724mm)
Minimum Cabinet Depth	24" (610mm)
Minimum Cabinet Height	10 <sup>5</sup> / <sub>8</sub> " (270mm)
Minimum Base Support	63 lbs
Minimum Shelf Spacing Between Stacked Product	<sup>3</sup> / <sub>4</sub> " (19mm)
Additional Cut-outs Required	No
<b>Electrical</b>	
Electrical Requirements	120V 15A 60Hz
Power Cord	Molded NEMA 5-15 plug This appliance is equipped with a 5 ft (1.5 m) long power cord with a three-prong grounding plug ready for connection to a 120V, 15A, 60Hz power supply.
Cut Out for Power Cord	Yes
Electrical Rating	120V, 15A 60Hz, .72kW (120V)
Total Amps	6A on 120V
<b>Shipping</b>	
Shipping Weight	70 lbs
Shipping Dimensions	32 <sup>7</sup> / <sub>8</sub> " W x 14 <sup>3</sup> / <sub>8</sub> " H x 29 <sup>7</sup> / <sub>8</sub> " L
<b>Support</b>	
Call	800.843.7231
20/20	2020technologies.com

# PureLine Warming Drawer ESW 6880 BRWS




## INSTALLATION SPECIFICATIONS

Solo Install




Install with 30" Oven



## INSTALLATION SPECIFICATIONS

Side View



Side View with Oven

